

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A package for holding a plurality of products comprising:
a housing having a pair of opposing walls and an open end; and
an insert including a plurality of compartments for housing each of the products, the insert including a plurality of sections that can be folded over against one another with compartments on each section facing outwardly and allowing the insert to be removably positioned in the housing and providing so that at least some of the compartments contact and provide a force against an inner surface of the opposing walls that will cause the insert to remain at least partially inside the housing when the package is moved.

Claim 2 (original): The package of Claim 1, including a plastic wrapper that initially seals the housing.

a b
Claim 3 (original): The package of Claim 1, wherein the compartments are constructed of plastic.

Claim 4 (original): The package of Claim 1, wherein the housing includes a closed end opposing the open end.

Claim 5 (original): The package of Claim 1, wherein the insert creates sufficient force to prevent the insert from falling out of the housing when the package is moved in any direction.

Claim 6 (original): The package of Claim 1, wherein the sections are hingedly attached to each other.

Claim 7 (original): The package of Claim 1, wherein the insert includes a member that can be ruptured allowing at least one of the products to be removed from one of the compartments.

Claim 8 (original): The package of Claim 1, wherein the insert is folded when inside the housing and unfolded when removed from the housing so that one of the consumable products can be removed.

Claim 9 (currently amended): The package of Claim 8, wherein the compartments ~~are located on both sides of the folded insert and~~ are adapted to hold shape after products are removed therefrom.

Claim 10 (currently amended): A package for a plurality of products comprising:

a housing having a pair of opposed walls, a closed end, and an open end; and

an insert that can be removably located within the housing through the open end of the housing, the insert having a plurality of initially sealed compartments that store the products, the compartments adapted to hold their shape after the products are removed therefrom to thereby create a friction fit between the insert and the pair of opposing walls when the insert is received within the housing both in an initial state in which each of the products are within the initially sealed compartments and a subsequent state in which one or more of the products are removed from the compartments, which compartments are permanently unsealed.

Claim 11 (original): The package of Claim 10, which includes a member covering the compartments and so constructed and arranged that pressing one of the compartments causes a portion of the member to rupture.

Claim 12 (original): The package of Claim 10, wherein the products are consumable products.

Claim 13 (original): The package of Claim 10, wherein the products are gum.

Claim 14 (currently amended): The package of Claim ~~10~~ 11, wherein the insert includes a base, the compartments extending from the base and the member attaching to the base.

Claim 15 (original): The package of Claim 10, wherein the plurality of walls of the housing maintain their shape after the insert is removed from the package.

Claim 16 (original): The package of Claim 10, wherein the insert includes at least two sections each including a plurality of compartments.

Claim 17 (original): The package of Claim 16, wherein the sections are hingedly attached to each other.

Claim 18 (currently amended): A method for packaging consumable products comprising:

providing an open ended housing having a pair of opposing walls for housing a removable insert, the insert holding the consumable products, the insert being biased against the pair of the walls of the housing to provide a force that urges the insert to remain in the housing even when the housing is moved;

96 removing the insert from the housing and removing at least one of the consumable products from the insert; and

reinserting the insert having the remaining consumable products into the housing so that the insert is again biased against the pair of walls of the housing, wherein an outwardly extending portion of the insert that had previously housed the removed product and at least contributed to the insert being biased against the walls continues to provide such contribution.

Claim 19 (original): The method of Claim 18, which includes repeating the steps of removing and reinserting until all of the consumable products are removed from the insert.

Claim 20 (original): The method of Claim 18, which includes providing a sealed wrapping about the housing so that the wrapping must be removed before the insert can be removed from the housing.

Claim 21 (original): The method of Claim 18, wherein removing at least one of the consumable products includes pressing and rupturing part of the insert.